## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-21-131

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

## CUMMINS ENGINE COMPANY, INC.

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following Cummins Engine Company, Inc. 1995 model diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Compressed Natural Gas (CNG only)

Fuel Type: Compr	ressed Natu	rai das (ond on	Exhaust Emission Control
Engine Family	<u>Liters (</u> 5.9	Cubic Inches) 359	Systems and Special Features Engine Control Module Turbocharger
SCE359DBCARA (493B)	•		Charge Air Cooler Heated Oxygen Sensor

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake-horsepower-hour:

ly in grams per	Di ake nord-p		
Non-Methane	Carbon Mo <u>noxide</u>	Nitrogen <u>Oxides</u>	<u>Particulates</u>
<u>Hydrocarbons</u>		5.0	0.10
1.2	15.5	<u>-</u> - ·	- 6 464.6

The following are the certification exhaust emission values for this engine family in grams per brake-horsepower-hour:

family in gra	ms bet, prace no.		at t to a main	
Eligino	Non-Methane Hydrocarbons	Carbon M <u>onoxide</u>	Nitrogen <u>Oxides</u>	<u>Particulates</u>
Family SCE359DBCARA		8.5	1.5	0.07
(493B)	•		Langino models.	the manufacture

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this

day of Peburary, 1995.

R. B Summerfield
Assistant Division Chief
Mobile Source Division

E.O.#	A	-2	١-,	7	3	1	

Page \_1\_ of \_1\_

## 1995 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL-STANDARD ENGINES

Manufacturer <u>Curr</u>	. n : . C	many Inc. Fre	ine Family	493B SCE359I	BCARA	
Manufacturer Cum	imins Engine Col	Liters	, <u></u>		/ 359	Cubic Inches
Displacen	nent:/5.9_	LIEIS	RPM	Eng	ine Configurati	ion: <u>I-6</u>
Maximum Rated P		HP @	ession with Glow F	Plug		Spark <u>X</u>
Ignition: Compres	sion		ual-Fuel_ I		100_ M	85
Fuel Type(s): Ded	licated_ F	lex-ruel L	G_ LPG_			
			40 CFR 86.1313-9	M	40 CFR 86.1	313-94
Diesel Cert Fuel:		-		ннр	Urb	an Bus_
Primary Intended	Service Class: L	HD	MHD <u>X</u>			
Primary Intended S Exhaust ECS (incl	ude.MFI, TC, CA	AC): Ecm	(use abbreviation	s per SAE J193	0 SEP91)	
		Fuel Rate	Fuel Pump	<u> </u>	EGR	PTOX /
Engine Model	Rated HP	@ Rated HP	& Injector	ECM/PCM	Valve Part No.	Catalytic Converter
(Eng Code)	@ RPM	mm3 / stroke	Part No.	Part No.	rait No.	Part No.
		(lbs/hr)			27/4	N/A
B5.9-195G (2035)	195 @ 2800	(70)	N/A	3922724	N/A	l IVA
(2 )						
			· ·			
			ļ			
	1					
	}					
		. \				}
				ł		
	`					
Date Issued:				ı		l
Revisions:						<u> </u>